

WAMBO COAL
POLLUTION MONITORING DATA
1 JULY 2026 – 31 JULY 2026

JULY MONTHLY REPORT

Published 08 August 2026

Environment Protection Licence Number: 529
Licensee: Wambo Coal Pty Limited, PMB 1, Singleton NSW 2330
Premises: Wambo Coal Pty Limited, Jerrys Plains Road, Warkworth NSW 2330

The following pollution monitoring data is published as a requirement of the Wambo Environmental Protection Licence (EPL) 529. A link to EPL529 can be found on the Environmental Protection Authority (EPA) Public Register. A link to the EPA's public register can be found at: <https://www.epa.nsw.gov.au/licensing-and-regulation/public-registers/about-prpoeo>

Monthly interim reports will be provided on a fortnightly basis until a final monthly report is produced when all monthly data is available.

The location of each sampling point is provided in 'Plan 2672-2' at the end of this document.

Monitoring Data

Surface and Mine Water Dam Monitoring

Monitoring Frequency: Once per month

Sampling Method: Grab sample

Limits: Nil

Table 1 - WCPL Surface and Mine Water Dam Results

EPL ID	Site ID	Date	pH	EC (µS/cm)	TSS (mg/L)	Comments
Point 24	SW01	28/07/2026	7.29	454	<5	-
Point 25	SW02	28/07/2026	7.35	494	<5	-
Point 26	SW03	28/07/2026	7.38	479	<5	-
Point 27	SW04	28/07/2026	-	-	-	Dry
Point 28	SW05	28/07/2026	-	-	-	Dry
Point 29	SW06	28/07/2026	-	-	-	Dry
Point 30	SW07	28/07/2026	7.37	851	7	No flow
Point 31	SW08	28/07/2026	-	-	-	Dry
Point 33	SW15	6/07/2026	8.92	5430	75	-
Point 34	SW27a	28/07/2026	-	-	-	Dry
Point 36	SW32a	28/07/2026	-	-	-	Dry
Point 39	SW39	28/07/2026	-	-	-	Dry
Point 40	SW40	28/07/2026	-	-	-	No flow
Point 41	SW41	28/07/2026	-	-	-	Dry
Point 42	SW54	28/07/2026	-	-	-	Dry

Water Discharge Monitoring

Monitoring Frequency: Continuous during discharge (EC, pH, Turbidity)

Daily during discharge (TSS, Volume)

Sampling Method: In line instrumentation (EC, pH Turbidity)

Grab sample (TSS)

Limits: pH- 6.5 to 9.5

TSS – 120

Volume – 250ML/day

Date sampled: Continuous

Date obtained: Continuous

Table 2 - WCPL Discharge Monitoring

Site	Date	pH (Avg)	Conductivity (µS/cm) Avg	TSS (mg/L)	Turbidity (NTU)	Volume (ML/day)	Comments
Point 4	No Discharge in July						
Point 19	No Discharge in July						

Sewerage Treatment Monitoring

Monitoring Frequency: Quarterly during discharge

Sampling Method: Grab sample

Limits: Nil

Date sampled: No Samples in July 2026

Date obtained: No Samples in July 2026

Table 3- WCPL Discharge Monitoring

EPL ID	Site ID	Date	pH	Faecal Coliforms (CFU/100mL)	Comments
Point 43	STPD3	-	-	-	No discharge
Point 52	STPD2				Sample required Quarterly
Point 56	STP1				Sample required Quarterly

PM10 Monitoring

Monitoring Frequency: Continuous

Sampling Method: AM22

Limits: Nil

Date sampled: Continuous

Date obtained: Continuous

Table 4 - WCPL PM10 Results

Date	PM02 (D2)- Wambo Road (Caban) (EPA14)		PM03 (D4) - Thelander (EPA15)		PM04 (D1) - Muller (EPA16)		PM05 (D5) - Kelly (EPA 53)	
	PM10 24 Hour Result (ug/m ³)	Annual Average	PM10 24 Hour Result (ug/m ³)	Annual Average	PM10 24 Hour Result (ug/m ³)	Annual Average	PM10 24 Hour Result (ug/m ³)	Annual Average
1/07/2026	11.4	16.10	4.1	11.74	11.9	20.18	20.8	21.28
2/07/2026	7.4	16.11	3.7	11.74	6.3	20.18	12.0	21.31
3/07/2026	6.2	16.12	3.5	11.75	5.8	20.18	20.2	21.36
4/07/2026	5.7	16.11	1.9	11.75	7.6	20.19	14.3	21.38
5/07/2026	11	16.12	6.7	11.76	12.7	20.20	15.0	21.41
6/07/2026	6.7	16.10	4.1	11.75	11.5	20.20	10.1	21.40
7/07/2026	7.6	16.08	3.0	11.74	10.5	20.19	4.9	21.37
8/07/2026	6.9	16.08	6.6	11.75	15.2	20.21	9.3	21.36
9/07/2026	5.3	16.07	3.8	11.75	9.7	20.22	2.9	21.32
10/07/2026	8.1	16.07	6.6	11.75	11.6	20.23	8.0	21.30
11/07/2026	7.6	16.04	4.8	11.74	7.1	20.20	9.7	21.20
12/07/2026	7.5	16.03	2.7	11.74	7.4	20.20	25.2	21.23
13/07/2026	11.8	16.03	6.0	11.74	8.3	20.20	24.1	21.26
14/07/2026	7.9	16.02	4.4	11.74	7.6	20.20	32.8	21.28
15/07/2026	9	16.01	4.9	11.74	10.1	20.21	11.6	21.25
16/07/2026	11	16.01	8.4	11.75	21.2	20.24	8.4	21.21
17/07/2026	5.1	15.98	6.4	11.76	10.7	20.25	7.4	21.20
18/07/2026	6.1	15.96	4.7	11.76	13.1	20.25	11.3	21.19
19/07/2026	9.5	15.95	8.2	11.75	24.8	20.26	14.3	21.17
20/07/2026	10.6	15.94	8.3	11.75	25.6	20.30	9.7	21.15
21/07/2026	13.1	15.95	6.9	11.76	12.5	20.29	12.2	21.14
22/07/2026	12.4	15.91	5.5	11.75	9.0	20.26	18.8	21.12
23/07/2026	11.7	15.89	4.8	11.71	8.4	20.24	14.4	21.11
24/07/2026	14.2	15.90	4.7	11.69	9.0	20.24	15.3	21.12
25/07/2026	11	15.91	6.9	11.69	8.7	20.25	23.2	21.14
26/07/2026	10.6	15.89	7.7	11.70	15.2	20.25	11.4	21.12
27/07/2026	17.2	15.92	13.0	11.73	20.5	20.29	14.8	21.15
28/07/2026	11.7	15.94	7.4	11.74	10.1	20.30	20.9	21.18
29/07/2026	11.6	15.95	4.7	11.75	9.8	20.31	20.2	21.19
30/07/2026	15.7	15.97	8.0	11.77	22.9	20.36	19.4	21.19
31/07/2026	28	16.03	14.2	11.80	25.4	20.40	23.7	21.22

*NaN >75% of data collected during period

Meteorological Monitoring
 Monitoring Frequency: Continuous
 Sampling Method: Site Meteorological Station EPA17
 Limits: Nil
 Date sampled: continuous
 Date obtained: continuous

Table 5 - WCPL Meteorology

Date	Temperature (2m)			Temperature (10m)			Humidity			Solar Radiation		RAIN	Wind Speed at 10m			Wind Direction at 10m	Sigma Theta		
	Average	Min	Max	Average	Min	Max	Average	Min	Max	Average	Max	Sum (mm)	Average	Min	Max	Average	Average	Max	Min
1/07/2026	17.0	9.8	23.5	17.4	9.9	23.1	76.5	45.8	99.9	108.3	476.2	0.2	1.3	0.2	3.7	207.8	30.5	87.5	6.3
2/07/2026	17.9	15.1	21.8	18.0	15.5	21.6	67.0	43.2	99.9	95.8	435.0	6.6	4.1	1.5	7.7	293.2	19.1	44.1	12.9
3/07/2026	15.0	6.7	18.5	15.1	7.6	18.2	57.0	39.9	82.5	105.4	453.1	0.0	4.2	0.6	7.0	293.8	21.4	49.8	12.9
4/07/2026	10.6	3.2	17.6	10.9	4.2	17.1	70.3	44.4	99.9	109.1	438.0	0.0	2.2	0.0	4.8	272.5	26.7	83.9	6.8
5/07/2026	9.4	1.3	17.1	9.6	1.9	16.6	80.0	50.3	99.9	78.6	502.2	0.0	1.7	0.0	5.3	155.3	25.8	90.7	8.2
6/07/2026	12.9	9.9	16.3	12.9	10.3	15.7	77.3	62.0	97.2	68.0	489.8	0.0	2.3	1.1	4.3	153.7	18.9	29.8	8.0
7/07/2026	14.3	12.1	17.5	14.2	12.1	17.1	69.3	55.9	92.9	78.4	433.3	0.2	2.9	1.4	4.7	165.6	17.9	33.4	11.5
8/07/2026	13.8	9.5	17.3	13.9	10.7	17.1	76.2	57.7	99.9	85.0	413.1	0.2	1.7	0.1	3.5	144.5	19.8	81.4	9.1
9/07/2026	12.0	7.5	17.4	12.2	8.2	17.1	91.3	56.2	99.9	67.8	385.5	2.2	1.1	0.1	3.0	165.2	19.1	83.3	8.0
10/07/2026	10.1	4.4	15.5	10.4	4.5	15.2	91.1	64.0	99.9	68.9	417.6	0.6	0.7	0.1	2.0	139.6	27.1	78.6	7.5
11/07/2026	9.5	3.8	17.7	9.8	4.2	17.3	85.7	48.1	99.9	98.5	424.1	0.0	1.4	0.1	4.1	229.7	23.1	80.6	5.4
12/07/2026	12.6	4.3	16.9	12.7	4.9	16.3	59.9	29.8	99.9	105.0	443.7	0.0	3.7	0.0	7.3	295.8	22.0	90.2	10.7
13/07/2026	12.2	7.7	17.8	12.2	7.9	17.5	55.4	37.8	68.9	110.0	439.4	0.0	3.8	1.3	6.2	306.6	21.8	34.5	13.5
14/07/2026	12.9	2.8	19.2	13.0	4.1	18.6	57.8	37.1	99.9	110.6	443.1	0.0	3.1	0.2	5.5	284.1	22.5	67.6	10.9
15/07/2026	9.7	2.2	17.8	10.6	3.3	17.2	74.2	40.2	99.9	109.3	441.1	0.0	1.2	0.0	4.2	167.7	33.0	95.7	8.2
16/07/2026	10.0	4.4	12.9	11.0	8.0	12.6	96.3	76.4	99.9	30.0	165.7	7.0	1.1	0.1	2.8	119.6	30.1	91.6	8.6
17/07/2026	13.1	9.2	18.0	13.4	10.9	17.6	89.9	64.3	99.9	68.9	505.3	0.6	1.5	0.3	3.7	151.8	18.7	42.1	6.4
18/07/2026	13.6	9.3	17.4	14.0	11.0	17.1	83.9	64.9	99.9	57.3	347.4	0.2	1.9	0.5	4.5	139.5	16.8	30.3	8.6
19/07/2026	14.7	11.3	18.2	14.8	12.1	17.8	63.7	48.6	96.3	71.0	449.4	0.0	2.2	0.7	4.9	121.5	17.2	57.5	7.1
20/07/2026	13.4	5.2	18.8	13.7	7.9	18.4	70.2	48.5	99.9	105.9	585.5	0.0	1.1	0.1	2.8	144.5	24.8	95.1	7.6
21/07/2026	8.9	0.9	19.4	9.5	1.3	19.0	85.0	48.6	99.9	116.2	459.5	0.0	0.8	0.0	2.4	207.6	24.7	83.5	6.2
22/07/2026	10.6	1.3	20.9	11.4	2.3	20.6	72.7	29.3	99.9	117.0	462.4	0.2	2.1	0.1	5.8	223.5	30.3	97.4	8.0
23/07/2026	12.3	4.7	20.7	13.0	6.5	20.2	62.0	32.1	99.9	106.2	469.6	0.0	1.9	0.1	5.1	216.1	30.0	86.6	7.6
24/07/2026	7.5	0.1	16.7	8.4	1.4	16.2	66.6	29.6	99.9	122.3	480.4	0.0	1.2	0.0	3.2	243.6	34.0	100.0	9.0
25/07/2026	8.3	-0.3	17.4	9.2	1.2	16.9	67.1	36.5	99.9	117.8	462.7	0.0	2.0	0.1	5.5	248.6	39.0	97.1	15.9
26/07/2026	9.6	-0.3	19.4	10.3	0.8	18.8	76.2	40.2	99.9	119.0	465.6	0.0	1.0	0.0	3.0	223.6	30.2	102.3	6.5
27/07/2026	10.1	1.9	19.6	10.6	3.0	19.1	82.8	47.9	99.9	118.0	572.4	0.0	0.8	0.0	1.8	161.6	29.6	100.8	6.1
28/07/2026	9.9	2.1	20.7	10.7	2.7	20.4	73.4	26.9	99.9	116.1	469.1	0.0	1.5	0.0	5.5	223.3	35.7	98.0	7.6
29/07/2026	11.2	1.1	20.7	11.9	3.0	20.0	57.2	28.7	99.9	113.4	539.3	0.0	2.5	0.0	6.0	240.1	30.6	102.7	14.3
30/07/2026	7.4	-1.9	17.1	8.4	-0.8	16.5	68.2	31.1	99.9	116.0	457.7	0.0	0.8	0.1	2.8	188.4	32.6	91.0	7.2
31/07/2026	8.7	-0.9	17.0	9.0	-0.3	16.5	73.0	44.5	99.9	98.8	521.4	0.0	1.2	0.1	4.1	154.3	25.6	97.3	6.8
Total	11.5	-1.9	23.5	12.0	-0.8	23.1	73.4	26.9	99.9	96.4	585.5	18.0	1.9	0.0	7.7	202.6	25.7	102.7	5.4

This page is intentionally left blank.

